

MARKET CODE CHANGE PROPOSAL FINAL REPORT			
Market Code Change Proposal Ref	MCCP017	Version Number	Version 1.0a
Title of the change	Enable Re-Reads to be submitted in the T17 Meter Swap Record		
Proposer	CMA		
Decision	Approved		
Date and circumstance	Scheduled Technical Panel Meeting 28/08/2008 followed by email approval of the revised proposal.		
Attendees	Voting: Scottish Water, Business Stream, Satec, Osprey Non-voting: CMA, Commission		
Vote	Unanimous		
Proposed Implementation Date	There is a planned system update in late November 2008. It is proposed to implement this change at the same time.		
Other Comments	<p>The following is a summary of the TP</p> <p>A weakness in the specification of the CSDs and subsequent system design results in ad-hoc processes having to be used if the final meter reading is rejected by the System. SW is unable to send a re-read.</p> <p>The change enables SW to send a re-read via the T17 record.</p> <p>It had been planned to also amend the T17.1 record to hold the re-read flag. BS did not wish the T17.1 to be amended as it avoids the need to make a system change to their HVI interface. Their view was supported by other LPs.</p> <p>The business case set out in section B was unanimously approved.</p> <p>The following is a summary of the TP</p> <p>The CMA issued a revised proposal that omitted the ending of the T17.1.</p> <p>This revised proposal was unanimously approved via email by three LPs and SW.</p> <p>The CMA confirmed to SW that the change would be made to both the LVI and the HVI.</p>		
Associated Change Form	MCCP017 Enable Re-Reads in the T0017.n Meter Swap record 1.1aclean		
Other Documents	MCCP017 Annex CSD Changes0.4a		
Report prepared by	TP Secretary		
Date of Report	22/09/2008		