

COMMISSION CHANGE PROPOSAL

Form
version 2.1

Change Proposal reference
(To be completed by the TP Sec.)

MCCP233 – CC

Version No.

D.2

PART A — SUBMISSION

A.1. GENERAL DETAILS

A.1.a. TITLE

Correction to CSD0207 Drafting

A.1.b. CONTACT
NAME

Andrea
Mancini

CONTACT
EMAIL;
TEL./MOB.

Andrea.mancini@watercommission.co.uk
01786 430 230

A.1.c. ASSOCIATED
DOCS.

A.2. MCCP / OCCP DETAILS

A.2.a. ISSUE OR DEFECT WHICH THIS MCCP / OCCP SEEKS TO ADDRESS

MCCP219 (Feb 2018 CSD Drafting) consolidated drafting for a number of changes that were delivered in February 2018, including those associated with MCCP214 – CC (Live RV's in Settlement), which included changes to CSD0207.

As a result of this CSD0207 requires the RV volume conversion factor applied to the Live RV Annual Yearly Volume (Section 2.6.14) and the Live RV Annual Sewerage Yearly Volume (Section 3.6.14) the relevant RV in these calculations as being 0.0248. Prior to deployment this conversion factor was updated to 0.0252 and this value was used at the CMA Central Systems in line with Scottish Water's Wholesale Scheme of Charges.

This Commission Change delivers a modification to CSD0207 drafting, changing the value for this conversion factor to the value of 0.0252.

A.2.b. DRAFT LEGAL TEXT
 Required under Market Code Parts 8.7.1 (ii) (d) and 8.8.1 (ii) (d)

Changes to CSD0207, Section 2.6.14 should be made, as follows to the equation for the LRVAYV (for periods on or after 2018-04-01) (marked in red);

$$LRVAYV_d = \begin{cases} [(0.024852 \times LRV_d - 24)] \times (1 - VAC_d) & \text{if } LRV_d \geq 960 \\ 0 & \text{otherwise} \end{cases}$$

Changes to CSD0207, Section 3.6.14 should be made, as follows to the equation for the LRVASYV (for periods on or after 2018-04-01) (marked in red);

$$LRVASYV_d = \begin{cases} 0.95 \times [(0.024852 \times LRV_d - 24)] \times (1 - VAC_d) & \text{if } LRV_d \geq 960 \\ 0 & \text{otherwise} \end{cases}$$

A.3. IMPLEMENTATION DETAILS

A.3.a. TP ACTION REQUIRED

NONE

A.3.b. REQUIRED IMPLEMENTATION DATE

Following issue of this Commission Change.

A.3.c. ANY LIMITATIONS OR DEPENDENCIES FOR IMPLEMENTATION

A.4. ANY OTHER COMMENTS

PART B — IMPLEMENTATION

B.1. IMPLEMENTATION DATE | 2018-07-12

B.2. IMPLEMENTATION DETAILS
 (MC version, CSD versions, CMA Central Systems release number, etc.)

CSD0207 v12